

REVOLUTIONARY CLEANING POWER



foggia

CLEAN BEST, DRY BEST

Why Choose Foggia FYWD?

SUPERIOR HYGIENE WITH BLUELIGHT TECHNOLOGY

Eliminate 99.99% of bacteria with our revolutionary Bluelight technology, ensuring your laundry is thoroughly sanitized.

UNMATCHED EFFICIENCY & FASTER DRY TIMES

Experience rapid drying with a powerful 363G washer extract force and optimized airflow, reducing moisture by 70% and cutting down drying times significantly.

EASY INSTALLATION & DURABLE DESIGN

Enjoy cost-effective, hassle-free installation with softmount washers, while our industrial-grade parts from Emerson and SKF guarantee long-lasting performance.



SPECIFICATION

	FYWD120	FYWD160	FYWD220
Capacity [kg(lbs)]	12 (26)	16 (35)	22 (48)
Cylinder Diameter (W/D) - mm	635/745	635/745	740/855
Cylinder Depth (w/D) - mm	365/525	465/655	450/660
Cylinder volume (W/D) - l	116/229	148/286	194/379
Wash speed - rpm	32	32	32
Extract speed - rpm	1000	1000	900
G force	363	363	343
Voltage	110-120/60/1	110-120/60/1	110-120/60/1
	220-240/50/1, 220-240/60/1, 220-240/50/3	220-240/50/1, 220-240/60/1, 220-240/50/3	220-240/50/1, 220-240/60/1, 220-240/50/3
	380-415/50/3, 380-415/60/3	380-415/50/3, 380-415/60/3	380-415/50/3, 380-415/60/3
	440/60/3	440/60/3	440/60/3
Motor power - washer (kw)	1.85	2.2	3.0
Motor power - dryer (kw)	0.25	0.25	0.55
Water heating (kw) - optional	8	12	16
Fan - dryer (kw)	0.37	0.37	0.75
Dryer heating option			
Gas heat - LPG/NLG (BTU)	55000	75000	95000
Electric heat (kw)	10.5	10.5	13.5
Gas inlet/pocket - inch	0.5	0.5	0.5
Exhaust/pocket - mm	190	190	190
Air flow/pocket (cfm)	470	470	588
Water inlet size (inch)	3/4	3/4	3/4
Drain size (inch)	3	3	3
Unit dimension - L x W x H mm	805 x 1054 x 2190	805 x 1184 x 2190	905 x 1190 x 2400
Packing dimension - L x W x H mm	955 x 1204 x 2340	955 x 1334 x 2340	1055 x 1340 x 2550
Net weight - kg	442	508	634
Gross weight - kg	482	548	674