Site Address:

Insert Property Address and Works location i.e. Level 4, room 409

Nu-Life Pty Ltd. ABN 12002295721 Work Activity: Install TV Wall Mount SWMS Number: 08 Install new TV Bracket and Television on wall of property. 2/83 Mulga Rd SWMS Custodian: Oatley NSW 2223 Arthur Burgess Where additional works are required the appropriate SWMS will also need to be completed e.g. Replacing Cabling or Ph.: (02) 9579 1233 Ph.: (02) 9549 0000 Indoor Amplifier Email: service@nulifetv.com.au Approving Authority Assumptions: Job No. Client/Building Manager to complete Existing plant and equipment have been maintained and serviced in accordance with regulations and manufacturer's instructions e.g. Company: Order No. Fall Prevention systems, access ladders, etc. Contact Name: The presence of ASBESTOS products is assumed on all buildings constructed Pre 2004 unless building management or Site Register Content Reviewed By: indicates the Building is clear. Position: Carl Mudgway Always assume the presence of LEAD dust within ceiling/roof voids. Arthur Burgess Weather conditions are suitable for works to proceed safely Gavin Taylor Ph.: Jason Burgess Plant/Equipment/Tools PPE Required: Records and Reporting: Permits/Licences Required: Mandatory Preferred P2 Mask • Step/Extension Ladder • Site Risk Assessment Earth Leakage Device Hand Tools SWMS • Roof Access Permit (where applicable) Flectrical Licence Sharps resistant gloves • Fibreglass cable rod/snake · Site Attendance Register Hot Works Permit (where applicable) • Open Cablers Licence • Fall Prevention Harness • Test & Tag tools register Drill Protective Head & Footwear Angle Grinder • Site Hazardous Materials Register. Eve & Hearing Protection Power Lead • Plant & Equipment Register UV Protection Torch • Nu-Life Corporate Management Plan High Visibility Vest • Portable Barricades • Project Specific Management Plan RF Exposure Meter • Works Zone Signage · Digital Signal Test Meter Service Schedule: Inspection Requirements Training & Qualifications Required: Mandatory Preferred · Electrical tools and leads test and tag monthly for · Works area dry and free of trip hazards. construction sites or 3 monthly for other sites. • Electrical circuits in works area de-energised where appropriate Nu-Life Corporate Induction Cert III Telecommunications • Fall protection equipment 6 monthly • No Sharps or other hazardous items in works area. • Project Specific Induction (by Principle) Cert III Digital Reception • Other equipment as per manufacturer's instructions • Third party RF transmission equipment in works zone Technology • General Induction-Construction (White Card) • Fall protection equipment fit for purpose & certification current · Safe Working at heights Certificate Bonded Asbestos Sheet removal-• Ladders fit for purpose Construction. • Site Hazardous Materials/Asbestos Register (where available) • RF Awareness Certificate (RadHaz)

Issue Date: 06/01/2024

Next Review: 06/07/2024

Insert Property Address and Works location i.e. Level 4, room 409

Issue Date: 06/01/2024

Next Review: 06/07/2024

Applicable Standards, Codes of Practice and guidance:

HARMONISED LEGISLATION

Work Health and Safety Act 2011

Work Health and Safety Act 2011 (NSW, Qld, Act)

Occupational Health and Safety Act 2004 (Vic.)

Occupational Safety and Health Act 1984 (WA)

Work Health and Safety Act 2012 (SA, Tas.)

Work Health and Safety (National Uniform Legislation) Act (NT)

Australian Building Code 2013

Confined Spaces Code of Practice

Hazardous Manual Tasks Code of Practice

Managing the Risk of Falls at Workplaces Code of Practice

Preventing Falls in Housing Construction Code of Practice

Managing Electrical Risks in the Workplace Code of Practice

Managing Noise and Preventing Hearing Loss at Work Code of Practice

How to manage and control asbestos in the workplace Code of Practice

How to safely remove asbestos Code of Practice

Fatigue management Code of Practice

Managing the work environment and facilities Code of Practice

Telecommunications Code of Practice

Working near overhead power lines Code of Practice

VICTORIA

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Communicating HSE across languages Compliance Code

Confined spaces Compliance Code

Prevention of falls in general construction Compliance Code

Managing asbestos in workplaces Compliance Code

Removing asbestos in workplaces Compliance Code

WESTERN AUSTRALIA

Occupational Safety and Health Act 1984

Occupational Safety and Health Regulations 1996

Management and Control of Asbestos in the Workplace Code of Practice

Prevention of falls at workplaces Code of Practice

Managing noise at workplaces Code of Practice

Manual handling Code of Practice

STANDARDS

AS/NZS 1715:2009 Selection, use and maintenance of respiratory protective devices

AS/NZS 1892.1:1996 Portable Ladders - Metal

AS/NZS 1892.5-2000 Portable ladders. Part 5: Selection, safe use and care

AS/NZS 2161:2016 Occupational protective gloves

AS/NZS 2210.1:2010 Safety, protective and occupational footwear, Part 1: Guide to selection, care and use

AS/NZS 2865:2009 Safe working in a confined space

AS/NZS 1891.4:2009 Industrial fall-arrest systems and devices, Part 4: Selection, use and maintenance

AS/NZS 3760:2010 In-service safety inspection and testing of electrical equipment.

AS/NZS 3017:2007 Electrical installations - Verification guidelines

AS 1851-2012 Amd 1:2016 Routine service of fire protection systems and equipment;.

AS/NZS 1269.2:2005 Occupational noise management

AS4607:1999 Personal Response Systems

AS/NZS 1367:2016 Coaxial cable and optical fibre systems for the RF distribution of analog and digital television and sound signals in single and multiple dwelling installs.

AS/NZS 1417:2015-Receive antenna for UHF and VHF Radio/television

AS/NZS 3000:2018 Electrical installations (known as the Australian/New Zealand Wiring Rules)

SA TS 29125:2019 Information technology - Telecommunications cabling requirements for remote powering of terminal equipment

AS/CA S009:2013 Installation requirements for customer cabling (Wiring rules)

ARPANSA Standard (RF Exposure)

ISO14001,ISO 9001 & AS 4801 Nu-Life Pty Ltd Integrated Management Systems

ENVIRONMENTAL LEGISLATION

Environment Protection and Biodiversity Conservation Act 1999 (Federal)

Environment Protection 1997 (ACT)

Environment Protection Regulation 2005 (ACT)

Environmental Protection Act 1994 (QLD)

Environmental Offences and Penalties Act 1996(NT)

Environmental Offences and Penalties Regulations 2011(NT)

Protection of the Environment Operations Act 1997 (NSW)

Environment Protection Regulation 2005 (NSW)

Environmental Management and Pollution Control Act 1994 (TAS)

Aboriginal and Torres Strait Islander Heritage Protection Act 1984

Environment Protection Act 1993 (SA)

Environmental Protection Act 1986 (WA)

Environment Protection Act1970 (VIC)

Heritage Act 1995 (VIC)

Next Review: 06/07/2024

		Step Hazard or human error (Safety/Environmental hazards identified, including physical environment, human error, plant & equipment) Risk ranking before controls (to be Implemented to eliminate or reduce the risk to the lowest practicable level)				
Number	Step			(to be Implemented to eliminate or reduce the risk to the lowest practicable level)		Responsibility
	PRELIMINARY STEPS					
1	Report to Site/Management Office for induction and sign in.			Site Specific Induction detailing conditions unique to the site and location of facilities i.e. Ablution Block, First Aid, Drinking Water, Entry and egress gates, Fire Fighting equipment, etc. Request to view Site Hazardous Materials Register. Where such facilities are not available Site Foreman to identify facilities and brief all workers during pre-works talk.		Site Foreman/Installer
2	Supervisor verifies competence of personnel doing the task and currency of permits for work.			Only competent/qualified persons permitted to undertake specified tasks		Supervisor
3	Installer undertakes site pre-work inspection.			Qualified Installer Inspects Works location And Reports any anomalies to Supervisor/Site foreman Inspect both sides of wall where equipment is to be installed to ensure there are no other services which may be affected when mount fixings are inserted in to wall e.g. Electrical cabling, water/gas pipes, etc.		Site Foreman /Installer
4	Review SWMS and confirm it is current.			Contact SWMS Team Leader immediately should any site conditions not be as per this SWMS. New controls may need to be introduced and the SWMS modified accordingly.		Site Foreman/Installer
5	Verify that plant and equipment for the task is fit-for-purpose.			Check service records are current and appropriate tests and tagging are up to date. Ensure equipment is in a safe and useable condition.		Site Foreman/Installer

Issue Date: 06/01/2024

Next Review: 06/07/2024

		Hazard or human error	Risk	Controls	Risk	
Number	Step	(Safety/Environmental hazards identified, including physical environment, human errors, plant & equipment)	ranking before controls	(to be Implemented to eliminate or reduce the risk to the lowest practicable level)	ranking after controls	Responsibility
	WORK STEPS					
1	Prepare Work Area	Unauthorised persons entering works zone.	B-	Where possible, erect barriers and warning signage to cordon off works zone. For High Risk environments or where barricades may not be sufficient a suitable person should be tasked with managing access to the works zone. NOTIFY SITE FOREMAN PRIOR TO COMMENCING ANY WORKS	D	Installer/ALL
2	Install New TV Bracket	Airborne diseases particles (Lead Dust, Asbestos, Legionnaires) Electrocution High Noise Levels Flying Debris	B+	Ensure no services exist within section of wall where fixings are to be located. No Drilling of materials which may contain Asbestos or Lead Paint. If power drill or other electrical tools required portable RCD to be used. Hearing protection must be worn in noisy environments or when using power tools. Eye protection & safety gloves to be worn when using power tools. Platform ladder must be used when working above floor level.	D	Installer/All
3	Install TV	Strains	B+	Two persons to lift and secure television to new bracket.	D	Installer/All
4	Completion of Work	Trips/Slips Fire (Hot Works)	B-	Re-energise any electrical circuits once area is deemed clear of workers. Ensure all Waste materials, Debris and Tools Are removed from site prior to departure including any packing materials you may have brought with you. All waste is to be returned to Nu-Life Office for disposal/recycling as per our Environmental Plan.	D	Principal/Installer
5	Prior to leaving site		B-	Report to Site Management Office, Advise works have been completed- Record departure time in site register and in SWMS. Where such facilities are not available contact Nu-Life Office to advise works are completed and await further instructions.		Installer

				-	-			
~	:_	_	Λ	_	_	 ۵ς	_	
•	IΤ	$\boldsymbol{\Delta}$	Δ	п	П	-19	C	

Insert Property Address and Works location i.e. Level 4, room 409

Issue Date: 06/01/2024

Next Review: 06/07/2024

NOTE: Each work group or team member must sign off on the SWMS to acknowledge they have been briefed about or instructed in the SWMS

Team member name	Team Member	Instructor/				Instructor/			Check List				
(Please print)	signature	Briefer name	Signed	Date	SWMS Reviewed	Induction Completed	PPE Suitable	Licences Current	Roof Permit	Hot Works Permit			
				<mark></mark>									
				<u>.</u>									
				<u>.</u>									
				<u>.</u>									

Blank spaces not permitted. Where "no" worker is not permitted on site without prior written approval from Senior Company Management

Estimated Duration of Works Actual Start Time Actual Start Time Actual Finish Time	Estimated Duration of Works		Actual Start Time		Actual Finish Time	
--	-----------------------------	--	-------------------	--	--------------------	--

COVID-19: WORKS TO COMPLY WITH APPROPRIATE COMPANY COVID MANAGEMENT PLAN FOR THE STATE/TERRITORY, INCLUDING CURRENT HEALTH DEPARTMENT ALERTS AND REGULATIONS.

Issue Date: 06/01/2024

Next Review: 06/07/2024

Three Step Risk Assessment Process

Step 1: Identify the consequence for each potential risk by using the table below. Note: If a combination of harm, loss or damage could occur the worst case consequence is selected.

Level	Description of Consequence
Disastrous (6) (>10 Fatalities)	Probable death, permanent disability or major structural failure/damage. Offsite environmental discharge/release not contained and significant long-term environmental harm. >10 Fatalities
Catastrophic (5) (2-10 Fatalities)	Possible death, permanent disability or major structural failure/damage. Offsite environmental discharge/release not contained and long-term environmental harm. 2-10 Fatalities
Critical (4) (1 Fatality, 2-10 Major Injuries)	Death, permanent disability or structural failure/damage. Offsite environmental discharge/release not contained and significant short-term environmental harm. 1 Fatality (2-10 Major Injuries)
Major (3) (1 or more major injuries)	Potential temporary disability or minor structural failure/damage. On-site environmental discharge/release contained, minor remediation required, short-term environmental harm. 1 or more major injuries.
Minor (2) (1 or more minor injuries)	Incident that has the potential to cause persons to require minor treatment. On-site environmental discharge/release quickly contained minor level clean up with minimal short-term environmental harm. 1 or more minor injuries.
Negligible (1) (First Aid or no treatment)	Incident that has the potential to cause persons to require first aid. On-site environmental discharge/release immediately contained minor level clean up with no short-term environmental harm. First Aid treatment or illness/injury not requiring treatment.

Step 2: Using the following table, determine how likely it is that the risk will occur and result in the consequence identified above.

Level	Likelihood/Probability
Frequent	Has occurred frequently – At least once per month for this activity
Probable	Occurs regularly in NSW – Occurs at least once per annum for this activity
Occasional	Has occurred once or twice in NSW – Expected to occur at least once in 10 years.
Remote	Has occurred many times in the industry but rarely in NSW – Could occur but unlikely
Improbable	Has occurred once or twice in the industry - May occur only in exceptional circumstances
Incredible	Unheard of in the Antenna Industry – Not expected to occur

Issue Date: 06/01/2024

Next Review: 06/07/2024

Step 3: Using the risk matrix below, the organisation identifies the risk class/ranking.

Consequence		Likelihood/Probability							
Consequence	Frequent	Probable	Occasional	Remote	Improbable	Incredible			
Disastrous (6)	A	A	A	A	B+	B-			
Catastrophic (5)	A	A	A	B+	В-	C+			
Critical (4)	A	A	B+	B-	C+	C-			
Major (3)	A	B+	В-	C+	C-	D			
Minor (2)	B+	В-	C+	C-	D	D			
Negligible (1)	В-	C+	C-	D	D	D			

Class/Ranking	Description/Requirements
А	Will require detailed pre-planning. Actions will be recorded on a Safe Works Statement.
В	Will require operational planning. Actions will be recorded on a Safe Works Statement.
С	Limited assistance by HSR required Actions will be recorded on a Safe Works Statement.
D	Will require localised control measures Generic Safe Works Method Statement will be used.

Note: Asbestos risk has been revised to Pre- December 31st, 2003 as per NSW Workcover review "HOW TO MANAGE AND CONTROL ASBESTOS IN THE WORKPLACE Code of Practice DECEMBER 2011"

Site Address:	Issue Date: 06/01/2024
Insert Property Address and Works location i.e. Level 4, room 409	Next Review: 06/07/2024

On Site Contact Person:		Mobile:			
,					
FIRE – A	MBULANCE - POLICE		000		
Projects Manager:		02 95490000			
Assembly Point Location:					
					KEY
				—	Exit Points
				F	Fire
				<u> </u>	
				A	Assembly
					Point
					First Aid Kit
				5_5	
				Н	Hazardous Goods Store
					Goods Store
				P	Parking
				_	· ·
	Site Sketch				