

Protex masks, are a personal protective equipment entirely designed and produced in Italy, they provide respiratory

protection in all environments.

- CE 0477-FFP2 (NR) registration
- Made in Italy
- FFP2 certification by an Italian entity
- EN149: 2001 + A1: 2009 approved
- Adjustable and elastic nose pad
- Prepacked to protect the product from possible contamination before use.

WARNING:

A correctly selected mask is essential.

The mask is used for the individual protection of human respiratory organs from aerosols of different compositions. Failure to comply with all instructions and limitations on the use of this product can drastically reduce the effectiveness of the mask and cause illness, damage and / or death.



Place the rubber straps facing up and pull the lower half over the nose and mouth. Arrange the metal strip around the nose

and make sure there are no gaps. Remove the mask (disposable) from behind (without touching the front) and immediately

throw it in a closed container; clean your hands with an alcohol-based cleaner or water and soap.

LEAK TEST:

1. Cover the front of the respirator with both hands, taking care not to move it or change the seal.
2. EXHAUST sharply.
3. If you feel air leaks around the nose, reshape the nose clip until they are eliminated. Repeat the leak test.
4. If you perceive air leaks along the sealing edge, readjust the rubber bands on the sides of the head until they are eliminated. Repeat the leak test.

If you are NOT able to obtain a perfect seal, **DO NOT** access the contaminated area. Ask your supervisor. Users must be trained in correct use in accordance with national legislation.

USE, CARE AND CLEANING:

This mask is marked "NR" and must not be used more than one work shift. The product must not be washed or disinfected.

This mask does not provide oxygen. Use only in well ventilated areas containing sufficient oxygen to support life (O₂ > 19.5%). Half-face respirators should be inspected prior to usage to make sure there are no holes in the breathing area rather than punctures and no damage has occurred. Enlarged holes resulting from torn filter material are considered damage. Facial respirators help protect against some dust contaminants but do not eliminate exposure to the risk of contracting diseases or infections. Improper use can cause illness and / or death. Do not use with beards, sideburns or mustaches which may prevent a good seal between the face and the edge of the mask. Make sure the hair is pulled back and there is no jewelry interfering with the sealing edge of the respirator. Discard the respirator and replace it with a new one if excessive clogging of the half face mask causes breathing difficulties or if the half mask is damaged or if dizziness, irritation or other difficulties occur. Do not use for respiratory protection against contaminants

STORAGE, TRANSPORT AND DISPOSAL:

Store in a clean and dry area, at a temperature between -20 ° C and + 38 ° C and relative humidity not higher than 80%. Do not leave the mask exposed to dust, liquids or contaminants. The masks can be transported by all means of transport in accordance with transport laws. It can be stored and disposed of with general household waste.

Composition:

65% Polypropylene PP
18% Polyethylene PE
11% PL Polyester
4% Galvanized Iron
2% EA Elastam (Spandex)

Inner / outer side woven / non-woven Spunbond hydrophobic Material with optimum filter capacity: Meltblow Air Cotton
Adaptable and elastic nose piece.

Suitable for:

Sandblasting, paint stripping, grinding, cutting, drilling.
Construction Maintenance
Metal work Foundry
Cleaning Waste management
Allergies Biological Risk
Agriculture Forestry
Work in the quarry mine
Other industrial uses

TECHNICAL SPECIFICATIONS

Model 8427F00 - MADE IN ITALY

CE 0477 - Eurofins Testing Product Italy Srl

FFP2 NR EN149: 2001 + A1: 2009

Composition: material

Filter: PP non-woven fabric

Item Code: M000000001

Manufacturer: Italian Converter Srl

Strada Fogliano San Marco

n. 76/78 27029 Vigevano (PV) IT